

ATCC medium: 910 P1 mineral salts medium with octane

(NH₄)₂HPO₄.....10.0 g
K₂HPO₄5.0 g
Na₂SO₄0.5 g
Tap water.....1.0 L

Autoclave at 121C for 15 minutes. Supplement this mineral medium with filter-sterilized octane (1% v/v) at the time of use.