

# MICRO PANEL

## SALMONELLA ENTERICA PANEL

The ATCC *Salmonella enterica* Panel (ATCC® [MP-15™](#)) is comprised of 5 strains that represent serovars commonly associated with contaminated food or water. Each strain is fully characterized and authenticated under ISO 9001 and ISO/IEC 17025 requirements.

ATCC® No.	<i>Salmonella enterica</i> subsp. <i>enterica</i> Strain Designation	Serotype Designation	Serotype name	Geographic Isolation (Date)	Isolation Source
<a href="#">13312™</a>	1348	I 6, 7:c1,5	Choleraesuis	-	-
<a href="#">4931™</a>	NCTC 4444	I 1, 9, 12:g,m:-	Enteritidis	Copenhagen, Denmark	Human gastroenteritis
<a href="#">6962™</a>	NCTC 129	I 6,8:e,h:1,2	Newport	England, United Kingdom	Human food poisoning fatality
<a href="#">6539™</a>	AMC*	I 9,12:d:-	Typhi	-	-
<a href="#">700720™</a>	LT2	I 4,5,12:i:1,2	Typhimurium	(1948)	-

\*The AMC strain (ATCC® [6539™](#)) is only available in the United States.

Serotype data was generated according to the Kauffmann-White scheme. ATCC provides these data in good faith, but makes no warranty, express or implied, nor assumes any legal liability or responsibility for any purpose for which the data are used. The ATCC trademark and trade name, any and all ATCC catalog numbers, and any other trademarks listed are trademarks of the American Type Culture Collection unless indicated otherwise. ATCC products are intended for laboratory research only. They are not intended for use in humans, animals or diagnostics.