ATCC

Product Sheet

# *Mycoplasma hominis* (ATCC® 14027™)

**Please read this FIRST**

Storage Temp.
**Frozen: -80°C or colder**
**Freeze-Dried: 2°C to 8°C**
**Live Culture: See Propagation Section**

Biosafety Level
**2**

## Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

## Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Mycoplasma hominis* (ATCC® 14027™)

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

*Or contact your local distributor*

## Description

**Designation:** 4387
**Deposited Name:** *Mycoplasma hominis* (Freundt) Edward
**Antigenic Properties:** Type 1

## Propagation

**Medium**
ATCC® Medium 243: Mycoplasma medium

**Growth Conditions**
**Temperature:** 37°C
**Atmosphere:** Broth: Aerobic, Plates: 5% $CO_2$

**Propagation Procedure**

1. Follow instructions as suggested for the culturing of *Mollicutes*:

   PROCEDURES FOR PROPAGATING *MOLLICUTES*:
   a. Open the vial according to the enclosed instructions.
   b. Using a Pasteur or 1.0 mL pipette, withdraw approximately 0.5 to 1.0 mL from a tube containing 2.5 mL. Rehydrate the entire pellet.
   c. Aseptically transfer this aliquot back into the tube. Mix well.
   d. Make serial dilutions by transferring 0.25 mL from the original tube to a tube containing 2.25 mL. Repeat the process by transferring 0.25 mL from the second to a third tube, etc. Dilutions are important, not only for titration purposes, but also to keep culture in varying stages of growth. Many strains will die out rapidly once acid or alkaline conditions are reached. It is recommended to prepare several dilutions from the initial tube as the cryoprotectant used in the freeze drying process often inhibits growth.
   e. Use an uninoculated tube of broth to serve as a control.
   f. Plates may be inoculated to check colonial morphology. You can also spot each dilution on the surface of plate (4 or more/plate) to determine the number of colony-forming units. However, not all strains do well on solid medium.
   g. Incubate all tubes and plates under the recommended conditions and appropriate temperature. The time necessary for growth will vary from strain to strain. Growth on plates generally requires additional incubation.
   h. Depending on the medium used, growth will be indicated by increased turbidity, a color change, or both.

2. This strain starts to show turbidity in the first dilution tubes after 24 to 48 hours. Additional incubation is required for growth on solid agar.
3. Subsequent, fresh transfers grow more rapidly than the original culture. This strain produces moderate turbidity.

## Notes

Broth tubes may be incubated aerobically, but plates should be under 5% $CO_2$.
Colonies on #243 agar display the typical "fried-egg" morphology.
Store vials at freezer temperatures until ready to use.
Additional information on this culture is available on the ATCC® web site at www.atcc.org.

## References

References and other information relating to this product are available online at www.atcc.org.

## Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

## ATCC Warranty

Product Sheet

# *Mycoplasma hominis* (ATCC® 14027™)

**Please read this FIRST**

Storage Temp.
**Frozen: -80°C or colder**
**Freeze-Dried: 2°C to 8°C**
**Live Culture: See Propagation Section**

Biosafety Level
**2**

## Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

## Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Mycoplasma hominis* (ATCC® 14027™)

The viability of ATCC® products is warranted for 30 days from the date of shipment, and is valid only if the product is stored and cultured according to the information included on this product information sheet. ATCC lists the media formulation that has been found to be effective for this strain. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this strain. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

## Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of strains on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at www.atcc.org

Additional information on this culture is available on the ATCC web site at www.atcc.org.

© ATCC 2013. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [08/06]

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

*Or contact your local distributor*