





Product Sheet

Human rotavirus (ATCC® VR-2104™)

Please read this FIRST





Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Human rotavirus (ATCC® VR-2104™)

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

Or contact your local distributor

Description

Strain: Hu/Australia/102510/77/L

Classification: *Reoviridae*, *Rotavirus*, Rotavirus A

Original Source:

Stool sample of a human neonate in a Melbourne maternity hospital, 1977

Depositor: G Barnes

Batch-Specific Information

Refer to the Certificate of Analysis for batch-specific test results.

Propagation

Propagation Host:

MA-104 Clone 1 (ATCC CRL-2378.1)

Effect on Host:

CPE, cell degeneration and sloughing

Growth Conditions

Temperature: 37°C

Recommendations for Infection: Plate cells 24-48 hours prior to infection and infect when cultures are 98-100% confluent. Calculate volume of virus seed required to inoculate with an optimal MOI (e.g. 0.2-0.4). Prepare a 1:2 dilution of the calculated virus seed amount with Virus Activation Medium [EMEM supplemented with 20 µg/mL Trypsin (1:250) Powder]. Activate virus for 30 minutes in 37°C water bath. If needed, combine activated virus with enough virus growth medium to inoculate with a small amount of inoculum (e.g. 1 mL per 25 cm²). Remove medium and then rinse cells twice with neat EMEM. Remove EMEM and then inoculate with the prepared inoculum. Adsorb 1.5-2 hours at 37°C in a humidified 5% CO₂ atmosphere, rocking continuously at a low speed. End adsorption by removing the inoculum and then adding virus growth medium.

Incubation: 1-2 days

Comments

This item requires a 30 minute trypsin activation at a 1:2 dilution with 20 µg/mL Trypsin (1:250) Powder in a 37°C water bath pre-inoculation. Following serial passage in tissue culture, this virus appears to be attenuated. This item requires a freeze-thaw (-70°C or colder followed by a thaw at 37°C in a humidified 5% CO₂ atmosphere) and reactivation of virus to process intermediate passages.

References

References and other information relating to this product are available online at www.atcc.org.

Key Abbreviations

°C, degrees Celsius

CO₂ (CO2), carbon dioxide

CPE, cytopathic effect

MOI, multiplicity of infection

EMEM, Eagles Minimum Essential Medium

© ATCC 2012. All rights reserved.

ATCC® is a registered trademark of the American Type Culture Collection.

06/2012, QS/JQG

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the Biosafety in Microbiological and Biomedical Laboratories from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.



ATCC Warranty



Product Sheet

Human rotavirus (ATCC® VR-2104™)

Please read this FIRST

	Storage Temp. -70°C or colder
.....	
	Biosafety Level 2

Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Human rotavirus (ATCC® VR-2104™)

The viability of ATCC® products is warranted for 30 days from the date of shipment, and is valid only if the product is stored and cultured according to the information included on this product information sheet. ATCC lists the media formulation that has been found to be effective for this strain. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this strain. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at www.atcc.org

Additional information on this culture is available on the ATCC web site at www.atcc.org.

© ATCC 2013. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [02/26]

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

Or contact your local distributor