

Antibiotic Susceptibility of *Klebsiella pneumoniae* ATCC BAA-1901

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Amikacin	≥64	R	Ciprofloxacin	≥4	R
Amoxicillin / Clavulanic Acid	≥32	R	Gentamicin	≥16	R
Ampicillin	≥32	R	Imipenem	≥16	R
Ampicillin / Sulbactam	≥32	R	Levofloxacin	≥8	R
Aztreonam	≥64	R	Meropenem	1	R
Cefalotin	≥64	R	Moxifloxacin	≥8	R
Cefazolin	≥64	R	Nalidixic Acid	≥32	R
Cefepime	8	R	Nitrofurantoin	128	R
Cefotaxime	≥64	R	Norfloxacin	≥16	R
Cefotetan	≤4	R	Piperacillin	≥128	R
Cefoxitin	16	R	Piperacillin / Tazobactam	≥128	R
Cefpodoxime	≥8	R	Tetracycline	4	S
Ceftazidime	≥64	R	Ticarcillin	≥128	R
Ceftizoxime	4	R	Ticarcillin / Clavulanic Acid	≥128	R
Ceftriaxone	≥64	R	Tigecycline	2	S
Cefuroxime	≥64	R	Tobramycin	≥16	R
Cefuroxime Axetil	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN24 and AST-EXN7 cards

^b Parameter Set: MIC Interpretation Guideline: CLSI M100-S16 (2006)

Therapeutic Interpretation Guideline: Natural Resistance