

Antibiotic Susceptibility of *Enterococcus faecium* ATCC® BAA-2318™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Ampicillin	≥32	R	Nitrofurantoin	64	I
Benzylpenicillin	≥64	R	Quinupristin/Dalfopristin	0.5	S
Ciprofloxacin	≥8	R	Tetracycline	≥16	R
Erythromycin	≥8	R	Tigecycline	≤0.12	S
Levofloxacin	≥8	R	Vancomycin	≥32	R
Linezolid	2	S			

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GP67 card.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance

Antibiotic Susceptibility of *Enterococcus faecium* ATCC® BAA-2318™

Antimicrobial	MIC ^a	Interpretation ^b
Teicoplanin	≥256	R

^a Antibiotic susceptibility was obtained using bioMérieux ETEST®.

^b Parameter set: MIC Interpretation Guideline: CLSI M100 ED:34 (2024)
Therapeutic Interpretation Guideline: Natural Resistance