

Antibiotic Susceptibility of *Citrobacter freundii* ATCC® BAA-3249™

Antimicrobial	MIC^a	Interpretation^b	Antimicrobial	MIC	Interpretation
Amikacin	4	S	Cefuroxime Axetil	≥64	R
Amoxicillin/Clavulanic Acid	≥32	R	Ciprofloxacin	≥4	R
Aztreonam	≥64	R	Ertapenem	≤0.5	S
Cefalotin	≥64	R	Gentamicin	≥16	R
Cefazolin	≥64	R	Imipenem	0.5	S
Cefepime	≥64	R	Levofloxacin	≥8	R
Cefotaxime	≥64	R	Meropenem	≤0.25	S
Cefotetan	≥64	R	Moxifloxacin	≥8	R
Cefoxitin	≥64	R	Nalidixic Acid	≥32	R
Cefpodoxime	≥8	R	Nitrofurantoin	≤16	S
Ceftazidime	≥64	R	Piperacillin/Tazobactam	≥128	R
Ceftazidime/Avibactam	0.25	S	Tetracycline	≥16	R
Ceftolozane/Tazobactam	8	R	Tigecycline	4	I
Ceftriaxone	≥64	R	Tobramycin	≥16	R
Cefuroxime	≥64	R	Trimethoprim/Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-XN09 and AST-GN69 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance