

Antibiotic Susceptibility of *Serratia marcescens* ATCC® BAA-3259™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Amoxicillin / Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Amikacin	≤2	S	Ciprofloxacin	≥4	R
Aztreonam	≤1	S	Ertapenem	≥8	R
Cefalotin	≥64	R	Gentamicin	≥16	R
Cefazolin	≥64	R	Levofloxacin	≥8	R
Cefepime	16	I	Meropenem	8	I
Cefotaxime	32	R	Moxifloxacin	≥8	R
Cefotetan	≥64	R	Nalidixic Acid	≥32	R
Cefoxitin	≥64	R	Nitrofurantoin	256	R
Ceftazidime / Avibactam	≥16	R	Tetracycline	≥16	R
Ceftolozane / Taxobactam	≥32	R	Tigecycline	≥8	R
Ceftriaxone	≥64	R	Tobramycin	≥16	R
Ceftazidime	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R
Cefuroxime	≥64	R			

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN06 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance