

Antibiotic Susceptibility of *Citrobacter freundii* ATCC® BAA-3261™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC ^a	Interpretation ^b
Amikacin	16	S	Cefuroxime Axetil	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Ciprofloxacin	≥4	R
Aztreonam	16	I	Ertapenem	≤0.5	S
Cefalotin	≥64	R	Gentamicin	≥16	R
Cefazolin	≥64	R	Imipenem	≤0.25	S
Cefepime	≤1	S	Levofloxacin	≥8	R
Cefotaxime	≥64	R	Meropenem	≤0.25	S
Cefotetan	8	R	Moxifloxacin	≥8	R
Cefoxitin	≥64	R	Nalidixic Acid	≥32	R
Cefpodoxime	≥8	R	Nitrofurantoin	128	R
Ceftazidime	16	I	Piperacillin / Tazobactam	32	I
Ceftazidime/Avibactam	0.5	S	Tetracycline	≥16	R
Ceftolozane/ Tazobactam	8	R	Tigecycline	1	S
Ceftriaxone	≥64	R	Tobramycin	≥16	R
Cefuroxime	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN09 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)

Therapeutic Interpretation Guideline: Natural Resistance