

Antibiotic Susceptibility of *Proteus mirabilis* ATCC® BAA-3271™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Amikacin	≤2	S	Cefuroxime	≥64	R
Amoxicillin/Clavulanic acid	≥32	R	Cefuroxime axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	≥4	R
Ampicillin/Sulbactam	≥32	R	Ertapenem	≤0.5	R
Aztreonam	≤1	S	Gentamicin	≤1	S
Cefalotin	≥64	R	Imipenem	≥16	R
Cefazolin	≥64	R	Levofloxacin	≥8	R
Cefepime	16	I	Meropenem	8	I
Cefotaxime	≥64	R	Moxifloxacin	≥8	R
Cefotetan	≤4	S	Nalidixic acid	≥32	R
Cefoxitin	≥64	R	Nitrofurantoin	128	R
Cefpodoxime	≥8	R	Piperacillin/Tazobactam	32	I
Ceftazidime	≥64	R	Tetracycline	≥16	R
Ceftazidime/Avibactam	≥16	R	Tigecycline	2	R
Ceftolozane/Tazobactam	≥32	R	Tobramycin	8	I
Ceftriaxone	32	I	Trimethoprim/Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN06 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance