

Antibiotic Susceptibility of *Klebsiella pneumoniae* ATCC® BAA-3272™

Antimicrobial	MIC^a	Interpretation^b	Antimicrobial	MIC	Interpretation
Amikacin	≥64	R	Cefuroxime	≥64	R
Amoxicillin/Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	≥4	R
Ampicillin/Sulbactam	≥32	R	Ertapenem	≥8	R
Aztreonam	≤1	S	Gentamicin	2	S
Cefalotin	≥64	R	Imipenem	≥16	R
Cefazolin	≥64	R	Levofloxacin	≥8	R
Cefepime	≥64	R	Meropenem	≥16	R
Cefotaxime	≥64	R	Moxifloxacin	≥8	R
Cefotetan	≥64	R	Nalidixic Acid	≥32	R
Cefoxitin	≥64	R	Nitrofurantoin	256	R
Cefpodoxime	≥8	R	Piperacillin/Tazobactam	≥128	R
Ceftazidime	32	R	Tetracycline	8	I
Ceftazidime/Avibactam	≥16	R	Tigecycline	4	I
Ceftolozane/Tazobactam	≥32	R	Tobramycin	≥16	R
Ceftriaxone	≥64	R	Trimethoprim/Sulfamethoxazole	≤20	S

^a Antibiotic susceptibility was obtained using a Vitek2 AST-XN09 and AST-GN69 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance