

Antibiotic Susceptibility of *Enterobacter cloacae* ATCC® BAA-3274™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC ^a	Interpretation ^b
Amikacin	4	S	Cefuroxime Axetil	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Ciprofloxacin	≤0.25	S
Aztreonam	16	I	Ertapenem	≥8	R
Cefalotin	≥64	R	Gentamicin	≤1	S
Cefazolin	≥64	R	Imipenem	≥16	R
Cefepime	2	S	Levofloxacin	≤0.12	S
Cefotaxime	≥64	R	Meropenem	≥16	R
Cefotetan	≥64	R	Moxifloxacin	≤0.25	S
Cefoxitin	≥64	R	Nalidixic Acid	≤2	S
Cefpodoxime	≥8	R	Nitrofurantoin	32	S
Ceftazidime	≥64	R	Piperacillin / Tazobactam	≥128	R
Ceftazidime/Avibactam	≥16	R	Tetracycline	≥16	R
Ceftolozane/Tazobactam	≥32	R	Tigecycline	≤0.5	S
Ceftriaxone	≥64	R	Tobramycin	8	I
Cefuroxime	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN69 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)

Therapeutic Interpretation Guideline: Natural Resistance