

Antibiotic Susceptibility of *Escherichia coli* ATCC® BAA-3292™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC ^a	Interpretation ^b
Amikacin	≤2	S	Cefuroxime	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	1	S
Ampicillin / Sulbactam	≥32	R	Ertapenem	2	R
Aztreonam	≥64	R	Gentamicin	≤1	S
Cefalotin	≥64	R	Imipenem	≤0.25	S
Cefazolin	≥64	R	Levofloxacin	1	S
Cefepime	8	S	Meropenem	0.5	R
Cefotaxime	≥64	R	Moxifloxacin	2	S
Cefotetan	≤4	S	Nalidixic Acid	≥32	R
Cefoxitin	16	I	Nitrofurantoin	≤16	S
Cefpodoxime	≥8	R	Piperacillin / Tazobactam	≥128	R
Ceftazidime	16	I	Tetracycline	≥16	R
Ceftazidime / Avibactam	≤0.12	S	Tigecycline	≤0.5	S
Ceftolozane / Tazobactam	≥8	R	Tobramycin	≤1	S
Ceftriaxone	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN09 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)

Therapeutic Interpretation Guideline: Natural Resistance