

## Antibiotic Susceptibility of *Proteus mirabilis* ATCC® BAA-3299™

Antimicrobial	MIC <sup>a</sup>	Interpretation <sup>b</sup>	Antimicrobial	MIC <sup>a</sup>	Interpretation <sup>b</sup>
Amikacin	≤2	S	Cefuroxime	≥64	R
Amoxicillin / Clavulanic Acid	4	S	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	1	S
Ampicillin/Sulbactam	8	S	Ertapenem	≥0.5	S
Aztreonam	≥64	R	Gentamicin	≤1	S
Cefalotin	≥64	R	Imipenem	1	S
Cefazolin	≥64	R	Levofloxacin	2	S
Cefepime	≥64	R	Meropenem	≤0.25	S
Cefotaxime	≥64	R	Moxifloxacin	≥8	R
Cefotetan	≤4	S	Nalidixic Acid	≥32	R
Cefoxitin	8	S	Nitrofurantoin	128	R
Cefpodoxime	≥8	R	Piperacillin / Tazobactam	≤4	S
Ceftazidime	≥64	R	Tetracycline	≥16	R
Ceftazidime/Avibactam	2	S	Tigecycline	2	R
Ceftolozane/Tazobactam	1	S	Tobramycin	≤1	S
Ceftriaxone	≥64	R	Trimethoprim / Sulfamethoxazole	≥320	R

<sup>a</sup> Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN09 cards.

<sup>b</sup> Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)

Therapeutic Interpretation Guideline: Natural Resistance