

## Antibiotic Susceptibility of *Escherichia coli* ATCC® BAA-3303™

Antimicrobial	MIC <sup>a</sup>	Interpretation <sup>b</sup>	Antimicrobial	MIC	Interpretation
Amikacin	16	S	Cefuroxime	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	≥4	R
Ampicillin / Sulbactam	≥32	R	Ertapenem	≥8	R
Aztreonam	≥64	R	Gentamicin	≥16	R
Cefalotin	≥64	R	Imipenem	1	S
Cefazolin	≥64	R	Levofloxacin	≥8	R
Cefepime	2	S	Meropenem	4	S
Cefotaxime	≥64	R	Moxifloxacin	≥8	R
Cefotetan	16	S	Nalidixic Acid	≥32	R
Cefoxitin	32	R	Nitrofurantoin	64	I
Cefpodoxime	≥8	R	Piperacillin / Tazobactam	≥128	R
Ceftazidime	16	I	Tetracycline	2	S
Ceftazidime / Avibactam	0.5	S	Tigecycline	≤0.5	S
Ceftolozane / Tazobactam	≥32	R	Tobramycin	≥16	R
Ceftriaxone	≥64	R	Trimethoprim / Sulfamethoxazole	≤20	S

<sup>a</sup> Antibiotic susceptibility was obtained using Vitek2 AST-GN69 and AST-XN09 cards.

<sup>b</sup> Parameter set: MIC Interpretation Guideline: CLSI M100-S30 (2020)  
Therapeutic Interpretation Guideline: Natural Resistance