

Antibiotic Susceptibility of *Klebsiella pneumoniae* ATCC® BAA-3309™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Amikacin	16	S	Cefuroxime	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	2	I
Ampicillin / Sulbactam	≥32	R	Ertapenem	≤0.5	S
Aztreonam	32	R	Gentamicin	≥16	R
Cefalotin	≥64	R	Imipenem	≤0.25	S
Cefazolin	≥64	R	Levofloxacin	2	S
Cefepime	≤1	S	Meropenem	≤0.25	S
Cefotaxime	16	R	Moxifloxacin	2	S
Cefotetan	≤4	S	Nalidixic Acid	≥32	R
Cefoxitin	≥64	R	Nitrofurantoin	64	I
Cefpodoxime	≥8	R	Piperacillin / Tazobactam	16	S
Ceftazidime	16	I	Tetracycline	≤1	S
Ceftazidime / Avibactam	0.25	S	Tigecycline	≤0.5	S
Ceftolozane / Tazobactam	≤0.25	S	Tobramycin	≥16	R
Ceftriaxone	8	S	Trimethoprim / Sulfamethoxazole	≥320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN09 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance