

# **SAFETY DATA SHEET**

# **SECTION 1)IDENTIFICATION**

Product ID:	4-X			
Product Name:	Dimethylsulfoxide (DMSO), 5 x 5.0 mL, Sterile			
Revision Date:	Dec 07, 2020	Date Printed:	Jan 21, 2021	
Version:	2.0	Supersedes Date:	Aug 01, 2017	
Manufacturer's Name:	American Type Culture Collection			
Address:	10801 University Blvd., Manassas, VA, US, 20110-2209			
<b>Emergency Phone:</b>	703-365-2710 or 800-424-9300 (Chem	trec - transport only)		
Information Phone Numbe	r: 800-638-6597 or 703-365-2700			
Fax:	703-365-2701			
Product/Recommended Us	ses: For lab use only			

# **SECTION 2) HAZARDS IDENTIFICATION**

# Classification

Eye Irritation - Category 2A

Flammable Liquids - Category 4

# **Pictograms**



Signal Word

Warning

# Hazardous Statements - Health

Causes serious eye irritation

# Hazardous Statements - Physical

Combustible Liquid

### **Precautionary Statements - General**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

# **Precautionary Statements - Prevention**

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use appropriate fire suppression methods to extinguish.

### **Precautionary Statements - Storage**

Store in a well-ventilated place.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/national/international regulation.

### Hazard not otherwise classified (HNOC)

Biosafety Level 1 - Agents not known to consistently cause disease in healthy adults and present minimal potential hazard to laboratory personnel and the environment.

# **SECTION 3) COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Chemical Name	% By Weight
0000067-68-5	DIMETHYL SULFOXIDE	85% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

# **SECTION 4) FIRST-AID MEASURES**

### Inhalation

Remove source of exposure or move person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell or are concerned.

### **Eye Contact**

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15- 20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face.

### **Skin Contact**

Take off all contaminated clothing immediately, shoes and leather goods (e.g. watchbands, belts). If skin irritation occurs or rash occurs: Get medical advice/attention. Wash with soap and plenty of water. Wash contaminated clothing before re-use or discard.

### Ingestion

Rinse mouth with water. Do not give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

#### Most Important Symptoms/Effects, Acute and Delayed

No known significant effects or critical hazards.

#### Indication of Immediate Medical Attention and Special Treatment Needed

No data available.

# **SECTION 5) FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Use caution when applying carbon dioxide in confined spaces.

### Specific Hazards arising from substance or mixture

No data available.

#### **Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### **Special Protective Actions**

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

# **SECTION 6) ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors, mist or gas. Avoid dust/aerosol formation. Isolate hazard area and keep unauthorized personnel away. If

specialized clothing is required, refer to section 8 of this SDS.

### **Environmental Precautions**

Stop spill/release if it can be done safely. Do not allow product to reach ground water, water course or sewage system.

### Methods and Materials for Containment and Cleanup

BSL-1 labs require immediate decontamination after spills. Allow aerosols to settle; wearing protective clothing, gently cover spill with paper towel and apply 10% sodium hypochlorite, starting at perimeter and working towards the center; allow sufficient contact time before clean up (30 min). Clean up spills immediately. The use of additional PPE may be necessary for cleaning solutions.

# **SECTION 7) HANDLING AND STORAGE**

#### Precautions for safe handling

Use aseptic procedures. Hand washing required after working with potentially hazardous materials and before leaving the laboratory. Do not get in eyes, on skin or on clothing. Decontamination of work surfaces daily, after finishing work and following spills. Standard microbiological practices should be followed. Avoid eating, drinking and smoking in work areas. Provide appropriate exhaust ventilation.

#### Conditions for safe storage, including any incompatibilities

Store in cool, dry, well-ventilated areas away from heat, direct sunlight, strong oxidizers and any incompatible materials. Keep containers securely sealed when not in use.

#### Specific end use(s)

Apart from the uses mentioned in sec.1, no other uses are stipulated.

# **SECTION 8) EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Appropriate Engineering Controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Eye Protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin Protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

### **Body Protection**

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiration Protection**

Respiratory protection not required.

### **Control Parameters**

Chemical	OSHA TWA	OSHA TWA	OSHA STEL	OSHA STEL	OSHA Tables	OSHA	OSHA Skin designation	NIOSH TWA
Name	(ppm)	(mg/m3)	(ppm)	(mg/m3)	(Z1, Z2, Z3)	Carcinogen		(ppm)
No applicable chemical	-	-	-	-	-	-	-	-

Chemical	NIOSH TWA	NIOSH STEL	NIOSH STEL	NIOSH	ACGIH TWA	ACGIH TWA	ACGIH STEL	ACGIH STEL
Name	(mg/m3)	(ppm)	(mg/m3)	Carcinogen	(ppm)	(mg/m3)	(ppm)	(mg/m3)
No applicable chemical	-	-	-	-	-	-	-	-

Chemical	ACGIH	ACGIH	ACGIH
Name	Carcinogen	TLV Basis	Notations
No applicable chemical	-	-	-

# **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

# **Physical and Chemical Properties**

Density	9.18002 lb/gal	
Specific Gravity	1.10001	
% Solids By Weight	100.00000%	
Appearance	Colorless liquid	
Odor Threshold	N/A	
Odor Description	Sulphurous	
рН	N/A	
Water Solubility	Miscible	
Flammability	Flash point at or above 200°F/93°C	
Flash Point Symbol	N/A	
Flash Point	87°C (189°F)-Closed Cup-ASTM D 93	
Viscosity	N/A	
Lower Explosion Level	3.0-3.5% by volume	
Upper Explosion Level	42-63% by volume	
Vapor Pressure	0.55 mbar (0.41 mmHg) @ 20°C (68°F)	
Vapor Density	2.7	
Freezing Point	16-19°C (61-66°F)	
Melting Point	16-19°C (61-66°F)	
Low Boiling Point	189°C (372°F)	
High Boiling Point	N/A	
Auto Ignition Temp	300-302°C (572-576°F)	
Decomposition Pt	>190 C (>374 F)	
Evaporation Rate	N/A	
Coefficient Water/Oil	N/A	

# **Other Information**

No data available.

# **SECTION 10) STABILITY AND REACTIVITY**

# Stability

Stable under recommended handling and storage conditions.

# Reactivity

No data available.

# **Conditions to Avoid**

Direct sunlight, extremely high or low temperatures, ignition sources and incompatible materials.

# **Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

### **Incompatible Materials**

Strong acids, strong bases, strong oxidizers.

# **Hazardous Decomposition Products**

Thermal decomposition generates: Carbon oxides (CO, CO2), Sodium oxides, Sulfur.

# SECTION 11) TOXICOLOGICAL INFORMATION

### **Acute Toxicity**

#### 0000067-68-5 DIMETHYL SULFOXIDE

Inhalation at high concentrations could cause headache, dizziness, lowering of consciousness, and sedation. May accelerate skin absorption of other materials.

#### **Skin Corrosion/Irritation**

0000067-68-5 DIMETHYL SULFOXIDE

Substance is irritating to the skin.

### Serious Eye Damage/Irritation

Causes serious eye irritation

0000067-68-5 DIMETHYL SULFOXIDE

Substance is irritating to the eyes.

### **Respiratory/Skin Sensitization**

Based on available data, the classification criteria are not met.

### Germ Cell Mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### **Reproductive Toxicity**

Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity - Single Exposure

Based on available data, the classification criteria are not met.

#### Specific Target Organ Toxicity - Repeated Exposure

# 0000067-68-5 DIMETHYL SULFOXIDE

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the liver and blood, resulting in impaired functions and lesions of blood cells.

### **Aspiration Hazard**

Based on available data, the classification criteria are not met.

### Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

0000067-68-5 DIMETHYL SULFOXIDE

The substance can be absorbed into the body by inhalation, through the skin and by ingestion.

# **SECTION 12) ECOLOGICAL INFORMATION**

### **Toxicity**

Based on available data, the classification criteria are not met.

#### Persistence and Degradability

No data available.

#### **Bio-accumulative Potential**

0000067-68-5 DIMETHYL SULFOXIDE

No potential for bioaccumulation.

#### **Mobility in Soil**

No data available.

#### **Other Adverse Effects**

No data available.

# Results of the PBT and vPvB assessment

0000067-68-5 DIMETHYL SULFOXIDE

# **SECTION 13) DISPOSAL CONSIDERATIONS**

# **Waste Disposal**

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

# SECTION 14) TRANSPORT INFORMATION

	U.S. DOT Information	IMDG Information	IATA Information
UN number:	NA1993	NA1993	NA1993
Proper shipping name:	Combustible liquid, n.o.s. (DIMETHYL SULFOXIDE)	Combustible liquid, n.o.s. (DIMETHYL SULFOXIDE)	Combustible liquid, n.o.s. (DIMETHYL SULFOXIDE)
Hazard class:	None	None	None
Hazardous substance (RQ):	NA	NA	NA
Marine Pollutant:	No	No	No
Note / Special Provision:	No	No	No
Packing group:	NA	NA	NA
Toxic-Inhalation Hazard:	NA	NA	NA

# **SECTION 15) REGULATORY INFORMATION**

# **Regulatory Information**

The following regulations have been evaluated for this product: TSCA, SARA 313 & SARA 312.

CAS	Chemical Name	% By Weight	Regulation List
0000067-68-5	DIMETHYL SULFOXIDE	85% - 100%	SARA312,TSCA

# **SECTION 16) OTHER INFORMATION**

### Glossary

ACGIH - American Conference of Governmental Industrial Hygienists **BSC - Biological Safety Cabinet** CAS - Chemical Abstract Service Chemtrec - Chemical Transportation Emergency Center(US) CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act HEPA - High efficiency particulate air LC - Lethal Concentration LD - Lethal Dose N/A - Not applicable NIOSH - National Institute for Occupational Safety and Health **OEL - Occupational Exposure Limits** OSHA - Occupational Safety and Health Administration, US Department of Labor PEL - Permissible Exposure Limit SARA (Title III)- Superfund Amendments and Reauthorization Act SARA 313 - Superfund Amendments and Reauthorization Act, Section 313 SCBA - Self Contained Breathing Apparatus STEL - Short Term Exposure Limit TLV - Threshold Limit Value TSCA - Toxic Substances Control Act Public Law94-469

# Version 2.0:

Revision Date: Dec 07, 2020

Changes made to Section 1,2,4,5,6,7,8,10,11,12,13,14,15. Please contact manufacturer for more information.

# DISCLAIMER

ATCC warrants that (a) cells and microorganisms included in the ATCC Material shall be viable upon initiation of culture for a period of thirty (30) days after shipment thereof from ATCC and (b) any ATCC Material other than cells and microorganisms shall meet the specifications on the applicable ATCC Material product information sheet, certificate of analysis, and/or catalog description until the expiration date on the applicable ATCC Material's product label (such thirty (30) day period, or period until the expiration date, referred to herein as the "Warranty Period"). Purchaser's exclusive remedy, and ATCC's sole liability, for breach of the warranties set forth in this paragraph is for ATCC to, at ATCCs sole option, either (i) refund the fee paid to ATCC for such ATCC Material (exclusive of shipping and handling charges), or (ii) replace the ATCC Material product information sheet. To obtain the exclusive remedy, Purchaser handles and stores the ATCC Material as described in the applicable ATCC Material product information sheet. To obtain the exclusive remedy, Purchaser must report the lack of viability or non-conformation to specifications to ATCCs Technical Service Department within the applicable Warranty Period. Any expiration date specified on the ATCC Material shipment documentation states the expected remaining useful life, but does not constitute a warranty or extend any applicable Warranty Period. Except as expressly provided above, the ATCC Material and any technical information and assistance provided by ATCC are provided as-is, without warranties of any kind, express or implied, including but not limited to any implied warranties of merchantability, fitness for a particular purpose, typicality, safety, accuracy and/or non-infringement.