

INFLUENZA RESEARCH MATERIALS

Influenza outbreaks affect us all, which is why it is essential that there are rapid and effective methods to diagnose, treat, and prevent infection. That's why ATCC has made it a priority to provide researchers with the authenticated and fully characterized reference materials needed to support their research on this respiratory virus.

Our growing collection of influenza research materials includes numerous Influenza A and B virus strains, including tissue culture-adapted and high-titer products. We also provide quantitative RNA preparations, antisera to Influenza A virus, and several monoclonal antibodies to highly pathogenic avian influenza hemagglutinins. Together, we can make incredible new discoveries!

Table 1: Influenza viruses

Description	Strain	Source	ATCC [®] No.	Host	
Influenza A virus (H1N1)	A/Fort Monmouth/1/1947 Human <u>VR-1754</u> ™		<u>VR-1754</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/California/07/2009 pdm09	Human	<u>VR-1894</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/California/08/2009 pdm09	Human	<u>VR-1895</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Denver/1/57	Human	<u>VR-546</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Florida/3/2006	Human	<u>VR-1893</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/FM/1/47	Human	<u>VR-97</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Mal/302/54	Human	<u>VR-98</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/New Jersey/8/76 (Hsw N1)	Human	<u>VR-897</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/NWS/33	Human	<u>VR-219</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/PR/8/34	Human	<u>VR-1469</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/PR/8/34	Human	<u>VR-95</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Swine/1976/31	Swine	<u>VR-99</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Swine/1976/31	Swine	<u>VR-1682</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/Swine/Iowa/15/30	Swine	<u>VR-333</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/Swine/Iowa/15/30	Swine	<u>VR-1683</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/Virginia/ATCC1/2009	Human	<u>VR-1736</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/Virginia/ATCC2/2009	Human	<u>VR-1737</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/Virginia/ATCC3/2009	Human	<u>VR-1738</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1)	A/Weiss/43	Human	<u>VR-96</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/WS/33	Human	<u>VR-825</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)	A/WS/33	Human	<u>VR-1520</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)	
Influenza A virus (H1N1), High titer	A/PR/8/34	Human	<u>VR-95PQ</u> ™	Embryonated chicken eggs	
Influenza A virus (H1N1)pdm09	A/California/04/2009 (H1N1)pdm09	Human	<u>VR-1805</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™	
Influenza A virus (H1N1pdm)	A/California/07/2009 NYMC X-179A	Human	<u>VR-1884</u> ™	Embryonated chicken eggs	



Table 1: Influenza viruses (continued)

Description	Strain	Source	ATCC [®] No.	Host
Influenza A virus (H3N2)	A/Aichi/2/68	Human	<u>VR-547</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Aichi/2/68	Human	<u>VR-1680</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza A virus (H3N2)	A/Alice	Human	<u>VR-776</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/California/2/2014	Human	<u>VR-1938</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza A virus (H3N2)	A/Hong Kong/4801/2014	Human	<u>VR-1990</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Hong Kong/8/68	Human	<u>VR-544</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Hong Kong/8/68	Human	<u>VR-1679</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza A virus (H3N2)	A/Port Chalmers/1/73	Human	<u>VR-810</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Switzerland/9715293/2013	Human	<u>VR-1837</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Victoria/3/75	Human	<u>VR-822</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	A/Virginia/ATCC6/2012	Human	<u>VR-1811</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza A virus (H3N2)	A/Wisconsin/15/2009	Human	<u>VR-1882</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2)	MRC 2	Human	<u>VR-777</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2), High titer	A/Hong Kong/8/68	Human	<u>VR-544PQ</u> ™	Embryonated chicken eggs
Influenza A virus (H3N2), High titer	A/Wisconsin/15/2009	Human	<u>VR-1882PQ</u> ™	Embryonated chicken eggs
Influenza A virus (H3N8)	A/Equine/2/Miami/63	Equine	<u>VR-317</u> ™	Embryonated chicken eggs
Influenza A virus (H9N7)	A/Shorebird/Delaware Bay/31/1996	Avian	<u>VR-3409</u> ™	Embryonated chicken eggs
Influenza B virus	B/Allen/45	Human	<u>VR-102</u> ™	Embryonated chicken eggs
Influenza B virus	B/Brigit	Human	<u>VR-786</u> ™	Embryonated chicken eggs
Influenza B virus	B/GL/1739/54	Human	<u>VR-103</u> ™	Embryonated chicken eggs
Influenza B virus	B/Hong Kong/5/72	Human	<u>VR-823</u> ™	Embryonated chicken eggs
Influenza B virus	B/Lee/40	Human	<u>VR-101</u> ™	Embryonated chicken eggs
Influenza B virus	B/Lee/40	Human	<u>VR-1535</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza B virus	B/Maryland/1/59	Human	<u>VR-296</u> ™	Embryonated chicken eggs
Influenza B virus	B/Mass/3/66	Human	<u>VR-523</u> ™	Embryonated chicken eggs
Influenza B virus	B/R22 Barbara	Human	<u>VR-788</u> ™	Embryonated chicken eggs
Influenza B virus	B/R5	Human	<u>VR-787</u> ™	Embryonated chicken eggs
Influenza B virus	B/R75	Human	<u>VR-789</u> ™	Embryonated chicken eggs
Influenza B virus	B/Russia/69	Human	<u>VR-790</u> ™	Embryonated chicken eggs
Influenza B virus	B/Taiwan/2/62	Human	<u>VR-295</u> ™	Embryonated chicken eggs
Influenza B virus	B/Taiwan/2/62	Human	<u>VR-1735</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza B virus	B/Virginia/ATCC5/2012	Human	<u>VR-1807</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza B virus (Victoria Lineage)	B/Florida/78/2015	Human	<u>VR-1931</u> ™	MDCK cells (<u>ATCC[®] CCL-34</u> ™)
Influenza B virus (Victoria Lineage)	B/Florida/78/2015	Human	<u>VR-1930</u> ™	Embryonated chicken eggs
Influenza B virus (Yamagata Lineage)	B/Massachusetts/2/2012	Human	<u>VR-1813</u> ™	Embryonated chicken eggs
Influenza B virus (Yamagata Lineage)	B/Wisconsin/1/2010	Human	<u>VR-1883</u> ™	Embryonated chicken eggs
Influenza B virus (Yamagata Lineage)	B/Wisconsin/1/2010 BX-41A	Human	<u>VR-1885</u> ™	Embryonated chicken eggs
Influenza B virus (Yamagata Lineage), High titer	B/Florida/4/2006	Human	<u>VR-1804PQ</u> ™	Embryonated chicken eggs

titer

Table 2: Antisera

Description	Strain	ATCC [®] No.	Comments
Influenza A (H3N8) antiserum	Against A/Equine/2/Miami/1/63 (<u>ATCC[®] VR-317</u> ™)	<u>VR-1287</u> ™	NIAID V-301-571-552
Influenza A antiserum	Against A2/Japan/170/62 (<u>ATCC[®] VR-40</u> ™)	<u>VR-1284</u> ™	NIAID V-301-541-552
Influenza A antiserum	Against A2/Taiwan/1/64 (<u>ATCC[®] VR-480</u> ™)	<u>VR-1285</u> ™	NIAID V-301-551-552

Table 3: RNA from viruses

Description	Strain	Source	ATCC [®] No.	Significance
Influenza A virus (H1N1pdm)	A/PR/8/34	Human	<u>VR-1469DQ</u> ™	H1N1
Influenza A virus (H1N1)	A/California/07/2009 (H1N1)pdm09	Human	<u>VR-1894DQ</u> ™	H1N1
Influenza A virus (H1N1)	A/California/07/2009 NYMC X-179A	Classical reassortant virus	<u>VR-1884DQ</u> ™	H1N1pdm
Influenza A virus (H1N1)	A/Florida/3/2006	Human	<u>VR-1893DQ</u> ™	H1N1
Influenza A virus (H1N1)	A/PR/8/34	Human	<u>VR-95DQ</u> ™	H1N1
Influenza A virus (H1N1)	A/Virginia/ATCC1/2009	Human	<u>VR-1736D</u> ™	2009 H1N1
Influenza A virus (H1N1)	A/Virginia/ATCC1/2009	Human	<u>VR-1736DQ</u> ™	2009 H1N1
Influenza A virus (H1N1)	A/Virginia/ATCC2/2009	Human	<u>VR-1737D</u> ™	2009 H1N1
Influenza A virus (H1N1)	A/Virginia/ATCC3/2009	Human	<u>VR-1738D</u> ™	2009 H1N1
Influenza A virus (H1N1)	A/Swine/1976/31	Swine	<u>VR-1682D</u> ™	H1N1
Influenza A virus (H1N1)	A/Swine/Iowa/15/30	Swine	<u>VR-1683D</u> ™	H1N1
Influenza A virus (H3N2)	A/Aichi/2/68	Human	<u>VR-1680D</u> ™	H3N2
Influenza A virus (H3N2)	A/Hong Kong/8/68	Human	<u>VR-1679D</u> ™	H3N2
Influenza A virus (H3N2)	A/Wisconsin/15/2009	Human	<u>VR-1882DQ</u> ™	H3N2
Influenza A virus (H3N2)	A/Wisconsin/67/2005	Human	<u>VR-1881DQ</u> ™	H3N2
Influenza A virus (H3N2)	A/Virginia/ATCC6/2012	Human	<u>VR-1811D</u> ™	H3N2
Influenza B virus	B/Florida/4/2006	Human	<u>VR-1804DQ</u> ™	Yamagata lineage
Influenza B virus	B/Florida/78/2015	Human	<u>VR-1931DQ</u> ™	Victoria lineage
Influenza B virus	B/Hong Kong/5/72	Unknown	<u>VR-823DQ</u> ™	
Influenza B virus	B/Lee/40	Human	<u>VR-101DQ</u> ™	
Influenza B virus	B/Lee/40	Human	<u>VR-1535D</u> ™	
Influenza B virus	B/Massachusetts/2/2012	Human	<u>VR-1813D</u> ™	Yamagata lineage
Influenza B virus	B/Massachusetts/2/2012	Human	<u>VR-1813DQ</u> ™	Yamagata lineage
Influenza B virus	B/Taiwan/2/62	Human	<u>VR-1735D</u> ™	
Influenza B virus	B/Wisconsin/1/2010	Human	<u>VR-1883DQ</u> ™	Yamagata lineage
Influenza B virus	B/Wisconsin/1/2010 BX-41A	Human	<u>VR-1885DQ</u> ™	Yamagata lineage

-0

Table 4: Monoclonal antibodies

Antigen	ATCC [®] No.	Comments
Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)	<u>VR-1608</u> ™	H5-specific
Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)	<u>VR-1609</u> ™	H5-specific
Against the HA1 domain of the H7 hemagglutinin from strain A/Chicken/Netherlands/1/03 (H7N7)	<u>VR-1641</u> ™	H7-specific
Against the HA1 domain of the H9 hemagglutinin from strain A/Guinea Fowl/Hong Kong/WF10/99 (H9N2)	<u>VR-1642</u> ™	H9-specific
Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)	<u>VR-1668</u> ™	lgG2ак
Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)	<u>VR-1672</u> ™	lgG2bк
Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)	<u>VR-1741</u> ™	lgG1к
Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)	<u>VR-1742</u> ™	lgG1к
Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)	<u>VR-1743</u> ™	IgG1к and IgG2bк
	Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)Against the HA1 domain of the H7 hemagglutinin from strain A/Chicken/Netherlands/1/03 (H7N7)Against the HA1 domain of the H9 hemagglutinin from strain A/Guinea Fowl/Hong Kong/WF10/99 (H9N2)Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)	Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)VR-1608™Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)VR-1609™Against H5 hemagglutinin from strain A/Hong Kong/483/1997 (H5N1)VR-1609™Against the HA1 domain of the H7 hemagglutinin from strain A/Chicken/Netherlands/1/03 (H7N7)VR-1641™Against the HA1 domain of the H9 hemagglutinin from strain A/Guinea Fowl/Hong Kong/WF10/99 (H9N2)VR-1642™Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)VR-1668™Against H1 hemagglutinin from strain A/South Carolina/1/1918 (H1N1)VR-1672™Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)VR-1742™Against H1 hemagglutinin from strain A/Brisbane/59/2007 (H1N1)VR-1742™

10801 University Boulevard Manassas, Virginia 20110-2209

Э 703.365.2700

703.365.2701

☑ sales@atcc.org

www.atcc.org

MB-042024-v11

©2024 American Type Culture Collection. The ATCC trademark and trade name, and any other trademarks listed in this publication are trademarks owned by the American Type Culture Collection unless indicated otherwise.

These products are for laboratory use only. Not for human or diagnostic use. ATCC products may not be resold, modified for resale, used to provide commercial services or to manufacture commercial products without prior ATCC written approval.