



pSVA3 77273™

Description

This clone encodes the L22F mutant of DHFR that can serve as a dominant selection marker because it retains catalytic activity and also confers methotrexate (MTX) resistance at low MTX concentrations (125 nM). Transfected cells amplify DHFR sequences. Constructed by cloning a HindIII/SmaI fragment containing the gene into pSV2-neo from which neoR had been removed. This plasmid was then cut with SmaI and BglII to remove 18 G nucleotides at the 3' end. The BglII site was filled in, and ligated to the SmaI site, thereby destroying the original BglII and SmaI sites. Removing the HindIII/SmaI fragment from the pSV2-neo removes all but the 3' 171 bp of neoR.

Organism: *Cricetulus griseus*, hamster, Chinese

Clone type: Clone

Host: *Escherichia coli* HB101 (ATCC 33694)

Storage Conditions

Product format: Freeze-dried

Storage conditions: 2°C to 8°C

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.

BSL 1

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories (BMBL)*, U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local or national agencies.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Insert Information

Insert size (kb): 0.7099999999999996

Type of DNA: cDNA

Insert source: lung cell line

Insert tissue: lung cell line

Insert information:

DESCRIPTION OF INSERT COMPONENT:

Insert 5' end: HindIII

Insert 3' end: BglII

Cross references:

Genome: hamster, Chinese

Target gene: dihydrofolate reductase

Gene name: dihydrofolate reductase

Gene product: dihydrofolate reductase [DHFR]

Gene symbol: DHFR

Contains complete coding sequence: Unknown

Vector Information

Construct size (kb): 5.0999999904632568

Intact vector size: 5.729

Vector name: pSV2-neo

Type of vector: plasmid

Construction: SV40, Tn5, pBR322

Host range: vertebrate cells

Vector end: HindIII; SmaI

Vector information:

Cross references: DNA Seq. Acc.: U02434

Cloning sites: EcoRI; BamHI; PvuII; PstI; HindIII

Markers: ampR

Promoters: SV40 early

Replicon: SV40; pMB1

Restriction sites: HindIII

Growth Conditions

Medium:

ATCC Medium 1227: LB Medium (ATCC medium 1065) with 50 mcg/ml ampicillin

Temperature: 37°C

Handling Procedures

Transfer a loopful to a test tube containing 5 mL LB+50mg/mL of ampicillin broth. A loopful of culture can also be streaked on an LB + amp agar plate. Incubate cultures at 37°C. Isolate DNA using standard plasmid preparation procedures.

Notes

Restriction digests of the clone gave the following sizes (in kb): HindIII/SmaI -- 5.2;

BamHI -- 3.5, 1.7 ; EcoRI -- 2.7, 2.3 ; PstI -- 1.9, 1.4, 0.95, 0.9 ; PvuII -- 4.0, 1.1.

---ATCC staff

Restriction digests of the clone give the following sizes (kb): BamHI--3.5, 1.7;

EcoRI--2.7, 2.3; PstI--1.9, 1.4, 0.95, 0.9; PvuII--4.0, 1.1; HindIII/SmaI--5.2.

- ATCC staff

Encodes the L22F mutant of DHFR that can serve as a dominant selection marker because it retains catalytic activity and also confers methotrexate (MTX) resistance at low MTX concentrations (125 nM).

- Gene 112: 179-188, 1992

Transfected cells amplify DHFR sequences.

- Gene 112: 179-188, 1992

Constructed by cloning a HindIII/SmaI fragment containing the gene into pSV2-neo from which neoR had been removed. This plasmid was then cut with SmaI and BglII to remove 18 G nucleotides at the 3' end.

- Gene 112: 179-188, 1992

The BglII site was filled in, and ligated to the SmaI site, thereby destroying the original BglII and SmaI sites.

- Gene 112: 179-188, 1992

Removing the HindIII/SmaI fragment from pSV2-neo removes all but the 3' 171 bp of neoR.

- Gene 112: 179-188, 1992

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: pSVA3 (ATCC 77273)

References

References and other information relating to this material are available at www.atcc.org.

Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a [license from ATCC](#).

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2025-09-09

Contact Information

ATCC
10801 University Boulevard
Manassas, VA 20110-2209
USA

pSVA3

77273

Product Sheet

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: tech@atcc.org or contact your local distributor
