

77366TM

Description

Organism: Caenorhabditis elegans Maupas

Clone type: Library

Host: Escherichia coli Q358 (ATCC 47018)

Escherichia coli q358 (ATCC 47018) (for propagation); Escherichia coli 1046 [pCRE1]

(ATCC 77368) (for conversion to phagemid)

Volume: 0.4 mL

Shipping information: bacteria-free phage lysate

Storage Conditions

Product format: Frozen

Storage conditions: -80°C or colder

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.

BSL₁

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories* (*BMBL*), U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies



77366

and procedures as well as any other applicable regulations as enforced by your local or national agencies.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Vector Information

Intact vector size: 41.7 Vector name: lambdaMGU2

Type of vector: phage

Construction: lambda2690, pMGU

Vector end: BamHI

Vector information: Library information:

Genome: Caenorhabditis elegans

Strain: N2

Type of insert: cDNA **Vector:** lambdaMGU2

Insert size ra

Insert detection: Spi+

Markers: ampR

· Replicon: lambda, pMB1, m13

Handling Procedures

Thaw contents of the vial in a 37°C water bath with gentle agitation until no ice crystals remain. Library can be diluted and plated following standard protocols. Recommended growth media is LB. Recommended growth temperature is 37°C.

Starting and Amplifying ATCC Bacteriophage Lambda Clones and Vectors:

- 1. Prepare fresh plating bacteria. Grow *E. coli* host strain overnight or at least to A ₆₀₀ = 0.4 in medium containing 0.2% maltose (to give higher titers).
- 2. Spin down cells in a low speed centrifuge. Resuspend in 0.4 volumes 10 mM MgSO $_4$ or SM buffer. Store at 4°C until ready to use. These cells are good for up to 2 weeks if stored at 4°C.
- 3. Open freeze dried vial containing the phage according to instructions. Asceptically add 0.3 to 0.4 mL of liquid medium to the freeze-dried pellet and mix well.
- 4. Pipette 100 μ L of the host suspension to a sterile test tube. Add 3 mL. of warm (50°C) LB lambda top agar (see below) containing 0.2% maltose and mix gently. Pour onto plates. Allow the plates to solidify.
- 5. Spot a loopful or two of the phage suspension on the lawn of the freshly poured bacteria.
- 6. Incubate overnight at 37°C. Fresh plates give larger plaques.
- 7. Cut plaques out of agar and add them to 0.5 mL of 10 mM MgSO₄ or SM buffer and store at 4° C overnight.
- 8. Add 100 μ L of the overnight phage dilution to 100 μ L prepared plating bacteria and mix gently. Incubate in a 37°C water bath for 20 minutes to allow phage to adsorb.
- 9. Add 3 mL. LB lambda top agar containing 0.2% maltose and mix gently. Pour onto plates. Incubate overnight at 37°C.
- 10. Invert open plate over a chloroform-saturated adsorbent paper for 10 minutes.
- 11. Add 7.5 mL of 10 mM MgSO $_4$ or SM buffer to the plate and allow it to stand at room temp for 1 hour or in 4°C overnight.
- 12. Collect and save the liquid on the plate. This should be a high titer lysate. Add a few drops of chloroform if its going to be stored for more than a few days.

LB Lambda top agar medium:

NaCl, 5 g Tryptone, 10 g Yeast extract, 5 g Distilled water to 1 L

Sterilize at 121°C, 15 minutes. Cool to approximately 50°C and add the following sterile solutions.

1M CaCl₂, 5 mL



MgSO₄ H_2O to a final concentration of 0.2% w/v 50% maltose, 5 mL

Notes

To prepare phagemid from lambdaMGU2, grow recombinants on a RecA- host expressing the Cre protein such as *E. coli* 1046 [pCRE1] (ATCC77368) and select for ampicillin resistance. The pMGU product is 4.185 kb. Efficiency of phagemid recovery is approximately 20%. Plasmid pCRE1 may be a low level contaminant, but is easily distinguished from pMGU DNA. Inserts can be amplified using the following primers flanking the BamHI cloning site: upstream 5'-AAGAGGCAGAACTGGCAG-3' and downstream 5'-ATCGATGCATAGCGATTC-3'. The order of the major features in the cloning region of the lambda vector is: lambda J - Smal - Sall - loxP - EcoRI - M13 ori - ampR - pMB1 ori - hindIII - 3'gam/BamHI/5'gam - XhoI - loxP - Sall - lambda N.

- Gene 120: 135-141, 1992.

Single stranded DNA may be recovered from phagemid constructs using M13K07 helper phages.

- Gene 120: 135-141, 1992

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: lambdaMGU2 *C. elegans* cDNA library (ATCC 77366)

References

References and other information relating to this material are available at www.atcc.org.



Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from ATCC.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity

undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2024-10-25

Contact Information

ATCC.

10801 University Boulevard Manassas, VA 20110-2209

USA

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: tech@atcc.org or contact your local distributor

