

99530TM

Description

This construct allows the exogenously expressed SREBP2 to be cleaved in a sterol-regulated fashion after transfection into 293 cells (ATCC CRL-1573). The amino terminus was truncated at amino acid 14 and fused to the HSV tag of the vector.

Name of construct: pTK-HSV-BP2

Size of construct (kb): 10.0

Markers: ampR, neoR

Excise insert: BapDI + Xbal

Depositor: Joseph L. Goldstein, Department of Molecular Genetics, University of

Texas Southwestern Medical Center, Callas, TX

Organism: Homo sapiens, human

Clone type: Clone

Host: Escherichia coli HB101 (ATCC 33694)

Shipping information: Escherichia coli containing the plasmid

Storage Conditions

Product format: Freeze-dried **Storage conditions:** 2°C to 8°C

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.



BSL₁

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories* (*BMBL*), U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local or national agencies.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Insert Information

Insert size (kb): 4.20000000000000002

Insert information:

Gene: sterol regulatory element binding transcription factor 2, SREBP2

Source: human

Genbank accession: U02031

Nucleotides: Nucleotides 1-4093 of the insert correspond to nucleotides 156-4249 of

U02031

Vector Information

Intact vector size: 5.8
Vector name: pTK-HSV
Type of vector: phagemid
Construction: pcDNA3

Host range: mammalian cells

Vector end: BspDI; Xbal



99530

Vector information: epitope tag: HSV

Cloning sites: BspDI; XbaI Markers: neoR; ampR Promoters: HSV TK Replicon: pMB1

Restriction sites: BspDI; Xbal **Terminator:** bGH polyadenylation

Growth Conditions

Medium:

ATCC Medium 1227: LB Medium (ATCC medium 1065) with 50 mcg/ml ampicillin

Temperature: 37°C

Handling Procedures

- 1. Open vial according to instructions.
- 2. Asceptically add 0.3 to 0.4 mL of liquid medium to the freeze-dried pellet and mix well. Transfer 100 μ L to a test tube containing 5 mL LB+ ampicillin (50-100 μ g/mL). A loopful of culture can also be streaked on an agar plate of the same. Incubate cultures at 37°C.
- 3. Isolate DNA using standard plasmid preparation procedures.

Notes

Restriction digests of the clone give the following sizes (kb): BspDI/XbaI--5.8, 4.2; EcoRI--6.8, 3.0; HindIII--9.0; 0.8.

- ATCC staff

The insert contains the following restriction sites (approximate kb from the 5' end): EcoRV--1.08; HindIII--1.12; BgIII--1.70; EcoRI--2.45

- GenBank/EMBL/DDBJ



This construct allows the exogenously expressed SREBF2 to be cleaved in a sterol-regulated fashion after transfection into 293 cells (ATCC CRL-1573). The amino terminus was truncated at amino acid 14 and fused to the HSV tag of the vector.

- personal communication

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: pTK-HSV-BP2 plasmid in *Escherichia coli* (ATCC 99530)

References

References and other information relating to this material are available at www.atcc.org.

Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of



merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from ATCC.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

Copyright and Trademark Information



© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2024-10-25

Contact Information

ATCC

10801 University Boulevard Manassas, VA 20110-2209

USA

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: tech@atcc.org or contact your local distributor

