



# Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695]

PRA-2695™

## Description

Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695] is the recommended formulation for the axenic cultivation of *Giardia* and *Spironucleus*. It is provided freeze-dried, complete with 10% bovine serum, 1 vial prepares 15 mL of medium.

**Shipping information:** 1 vial

---

## Storage Conditions

**Product format:** Freeze-dried

**Storage conditions:** 2°C to 8°C

---

## Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.

---

## BSL 1

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories (BMBL)*, U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local

# Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695]

PRA-2695

or national agencies.

Product Sheet

---

## Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at [www.atcc.org](http://www.atcc.org).

---

## Handling Procedures

1. Alcohol the crimped aluminum cap and remove it.
  2. Alcohol the rubber stopper and allow to dry.
  3. Aseptically remove the rubber stopper and aseptically add 15 mL of double glass distilled sterile water. Swirl to completely dissolve the freeze-dried medium.
  4. Aseptically distribute 13 mL of the rehydrated medium to a sterile 16 x 125 mm screw-capped test tube.
  5. Screw the cap on tightly and store at 2-8°C until ready to use. Use within 4 days.
  6. When ready to use, equilibrate the tube at the appropriate growth temperature before inoculation with the protist.
  7. Follow standard procedure for maintaining culture as specified in the product sheet for that protist.
- 

## Quality Control Specifications

**Mycoplasma contamination:** Not detected

---

## Material Citation

## Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695]

PRA-2695

If use of this material results in a scientific publication, please cite the material in the following manner: Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695] (ATCC PRA-2695)

---

### References

References and other information relating to this material are available at [www.atcc.org](http://www.atcc.org).

---

### Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

---

### Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from ATCC.

# Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695]

PRA-2695

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at [www.atcc.org](http://www.atcc.org).

---

## Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

---

## Revision

This information on this document was last updated on 2023-01-07

---

# Keister's Modified TYI-S-33 Giardia Medium [ATCC Medium 2695]

PRA-2695

## Contact Information

ATCC

10801 University Boulevard

Manassas, VA 20110-2209

USA

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: [tech@atcc.org](mailto:tech@atcc.org) or contact your local distributor

---