



Mycolicibacter nativiensis

TSD-299™

Description

Mycolicibacter nativiensis strain MYC340 is a bacterial type strain that was isolated from a water sample from the sewage treatment station of São Paulo Zoological Park Foundation (FPZSP), Brazil. This strain grows in solid Middlebrook 7H10 medium and on Löwenstein–Jensen medium, and growth is observed in seven days at 30°C and 37°C.

Strain designation: MYC340

Type strain: Yes

Type strain description: This culture provided to the ATCC type strain depository is neither produced nor characterized by ATCC. No technical information is available on this material. Refer to depositor for technical information on this strain.

Technical information: ATCC Technical Services does not have technical information on type strain deposits that are not fully characterized. Additional information can be found in the depositor's publication.

Storage Conditions

Product format: Frozen

Storage conditions: -80°C or colder

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.

BSL 1

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories (BMBL)*, U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local or national agencies.

ATCC highly recommends that appropriate personal protective equipment is always used when handling vials. For cultures that require storage in liquid nitrogen, it is important to note that some vials may leak when submersed in liquid nitrogen and will slowly fill with liquid nitrogen. Upon thawing, the conversion of the liquid nitrogen back to its gas phase may result in the vial exploding or blowing off its cap with dangerous force creating flying debris. Unless necessary, ATCC recommends that these cultures be stored in the vapor phase of liquid nitrogen rather than submersed in liquid nitrogen.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Growth Conditions

Temperature: 30°C

Atmosphere: Aerobic

Incubation: Seven days

Handling Procedures

Depositor-recommended growth conditions:

Depositor recommends growth on Middlebrook 7H10 medium supplemented with 0.5% glycerol and 10% OADC-oleic acid, albumin, dextrose and catalase (Becton Dickinson).

Strain was cultivated in solid medium to observe macroscopic characteristics of individual colonies which were compatible with a single profile. Analysis of the gene sequences (rpoB, hsp65 and 16S) showed no contamination. To verify possible genomic contamination, we used Kraken2 v2.0.8_beta with the database ftp://ftp.ccb.jhu.edu/pub/data/kraken2_dbs/minikraken_8GB_202003.tgz.

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: *Mycolicibacter nativiensis* (ATCC TSD-299)

References

References and other information relating to this material are available at www.atcc.org.

Warranty

The product is provided 'AS IS' and the viability of ATCC[®] products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid.

Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from ATCC.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

ATCC is a private, nonprofit biological resource center (BRC) and research organization that holds deposits of new type strains. ATCC tests for viability and identity upon the initial deposit of type strains. For those strains with a “TSD” designation, no further testing is performed and these strains are made available on behalf of the depositor per the requirements of the International Journal of Systematic and Evolutionary Microbiology (IJSEM), published by the Society for General Microbiology (SGM), and the International Committee on Systematics of Prokaryotes (ICSP).

ATCC may fully accessions new type strains into its general culture collection. At that time, ATCC will provide an “ATCC” designation to the strain, fully characterize the strain, and provide a Certificate of Analysis with authentication data for that specific item.

Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2023-01-28

Contact Information

ATCC

10801 University Boulevard

Manassas, VA 20110-2209

USA

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Mycolicibacter nativiensis

TSD-299

Product Sheet

Email: tech@atcc.org or contact your local distributor
