



Product Sheet

# *Nitrobacter sp.* (ATCC® 14123™)

Please read this **FIRST**



Storage Temp.  
**Frozen: -80°C or colder**  
**Freeze-Dried: 2°C to 8°C**  
**Live Culture: See Propagation Section**

---



Biosafety Level  
**1**

## Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

## Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Nitrobacter sp.* (ATCC® 14123™)

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor

## Description

Deposited Name: *Nitrobacter agilis* Nelson

## Propagation

### Medium

ATCC® Medium 96: Nitrobacter Medium B

### Growth Conditions

Temperature: 30°C

Atmosphere: Aerobic

### Propagation Procedure

1. Transfer contents of tube (approximately 10 mL) to a flask containing 100 mL of medium #96.
2. Wrap the flask in foil to protect from light and incubate at 30°C with gentle shaking.
3. Monitor culture growth daily by assaying for the disappearance of NO<sub>2</sub> in the culture medium.
4. Withdraw 0.1 mL from the culture and place in a small test tube. Add one drop of NO<sub>2</sub> Reagent A followed by one drop of NO<sub>2</sub> Reagent B, mixing after each addition. Pink color development occurs within 10 minutes and is directly related to amount of NO<sub>2</sub> present. Initial tests will probably be dark magenta reflecting the 20 mM NO<sub>2</sub> concentration of medium #96; but as culture grows and NO<sub>2</sub> is oxidized, color will become magenta, pink and finally clear. This process can take from 3 to 7 days depending on the viability of the stock.
5. When all NO<sub>2</sub> has been oxidized, either transfer the culture to fresh media or feed the culture by adding additional NO<sub>2</sub>. A 10% inoculum is recommended for transfers. To feed cultures, aseptically add sterile NaNO<sub>2</sub> solution, returning NO<sub>2</sub> concentrations to approximately 10 mM (3.5 mL of 2% NaNO<sub>2</sub> per 100 mL culture). Cells should be harvested or sub-cultured to fresh media when cultures can utilize 10 mM NO<sub>2</sub> in less than 24 hours and cell numbers are greater than 10 cells per field at 1000X magnification.
6. Cells can be harvested by centrifugation. For long-term storage, 1.0 mL aliquots of concentrated cells can be frozen with glycerol as the cryoprotectant at a final concentration of 10%. Frozen vials should be stored at -70°C or below for best preservation.

## Notes

**Transfer to fresh medium upon arrival.** Allow 14-21 days for growth under static conditions. Growth rate is accelerated on a reciprocal shaker. Item should be shaken vigorously at 250 rpm. Additional information on this culture is available on the ATCC® web site at [www.atcc.org](http://www.atcc.org).

## References

References and other information relating to this product are available online at [www.atcc.org](http://www.atcc.org).

## Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

## ATCC Warranty

ATCC® products are warranted for 30 days from the date of shipment, and this warranty is valid only if the product is stored and handled according to the information included on this product information sheet. If the ATCC® product is a living cell or microorganism, ATCC lists the media formulation that has been found to be effective for this product. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this product. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

## Disclaimers



Product Sheet

# *Nitrobacter sp.* (ATCC® 14123™)

## Please read this FIRST



Storage Temp.  
**Frozen: -80°C or  
colder**  
**Freeze-Dried: 2°C  
to 8°C**  
**Live Culture: See  
Propagation  
Section**

---



Biosafety Level  
**1**

## Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

## Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Nitrobacter sp.* (ATCC® 14123™)

This product is intended for laboratory research purposes only. It is not intended for use in humans. While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at [www.atcc.org](http://www.atcc.org)

Additional information on this culture is available on the ATCC web site at [www.atcc.org](http://www.atcc.org).

© ATCC 2014. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [12/02]

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor