



Product Sheet

Trypanosoma equiperdum (ATCC® 30023™)

Please read this **FIRST**



Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Trypanosoma equiperdum* (ATCC® 30023™)

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

Or contact your local distributor

Description

Strain Designation: NIH dyskinetoplastic
Deposited Name: *Trypanosoma equiperdum* Doflein
Depositor: EJ Tobie
Isolation:
1903 (?)

Propagation

Growth Conditions

Duration: in vivo, laboratory rat

Protocol: ATCCNO: 30018 SPEC: This strain is distributed as a frozen stabulate. See general instructions for thawing and storage of frozen material before proceeding. Upon arrival remove the frozen ampoule from the dry ice and transfer directly to a 35C water bath. When completely thawed, aseptically remove the material with a syringe and inject 0.2 ml aliquots of the thawed contents of the ampule intraperitoneally into an adult rat known to be free of blood parasites. Draw a drop of blood from the tail of an infected rat. Add 1.0 ml of mammalian saline (0.8% saline buffered to pH 7.0) to the blood and examine a small amount microscopically. If one or more parasites are seen, proceed as follows: collect parasites into a syringe containing a buffered anticoagulant by either cardiac puncture or from the tail vein of the infected animal. Inoculate 0.2 ml of the diluted blood intraperitoneally into an adult rat known to be free of other blood parasites. Repeat the above procedures approximately every 4 days.

Culture Maintenance

This culture is shipped in frozen rat blood. Inject 0.2 ml samples of the thawed fluid intraperitoneally into adult rats known to be free of other blood parasites. Draw a drop of blood from the tail of an infected rat. Add 1.0 ml of mammalian saline (0.8% saline buffered to pH 7.0) to the blood and examine a small amount microscopically. If one or more parasites are seen, proceed as follows: collect parasites into a syringe containing a buffered anticoagulant by either cardiac puncture or from the tail vein of the infected animal. Inoculate 0.2 ml of the diluted blood intraperitoneally into an adult rat known to be free of other blood parasites. Repeat the above procedures approximately every 4 days.

References

References and other information relating to this product are available online at www.atcc.org.

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

ATCC Warranty

The viability of ATCC® products is warranted for 30 days from the date of shipment, and is valid only if the product is stored and cultured according to the information included on this product information sheet. ATCC lists the media formulation that has been found to be effective for this strain. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this strain. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has



Product Sheet

Trypanosoma equiperdum (ATCC® 30023™)

been confirmed to be accurate.


This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at www.atcc.org

Additional information on this culture is available on the ATCC web site at www.atcc.org.

© ATCC 2014. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [04/11]

Please read this FIRST



Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Trypanosoma equiperdum* (ATCC® 30023™)

American Type Culture Collection
PO Box 1549
Manassas, VA 20108 USA
www.atcc.org

800.638.6597 or 703.365.2700
Fax: 703.365.2750
Email: Tech@atcc.org

Or contact your local distributor