



Product Sheet

# *Rhodopseudomonas palustris* (ATCC® BAA-1124™)

Please read this **FIRST**



## Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

## Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Rhodopseudomonas palustris* (ATCC® BAA-1124™)

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor

## Description

**Designation:** BisB18

**Deposited Name:** *Rhodopseudomonas palustris* (Molisch) van Niel

## Propagation

### Medium

ATCC® Medium 2657: PMSY Medium

### Growth Conditions

**Temperature:** 26-30°C

**Atmosphere:** Anaerobic under 1500 lux light; Aerobic on nutrient agar in the dark

### Propagation Procedure

1. Put 6 to 8 ml of ATCC® medium #2657 into a 13x100 mm screw cap test tube (small). Add 3.0% cysteine M (3.0% stock concentration; 0.1 0.2 ml for each 5 to 10 ml of medium) and then fill the test tube to capacity with additional medium #2497. Seal the test tube with a screw cap.
2. Let the tube sit at room temperature at least one hour before inoculating it with the culture.
3. Allow the frozen vial to thaw at room temperature. Remove 0.5 ml of broth and then transfer the entire aliquot into the screw cap test tube and close tightly. Inoculate a plate of nutrient agar.
4. Incubate the culture at 26-30°C under light (approximately 1500 lux). The culture should be 6 to 12 inches from the light source.

## Notes

After one to three weeks, growth is evident by turbidity and deep reddish pigmentation throughout the broth. When examined microscopically, the cells appear as rods occurring singly and in pairs. Cells are motile. Once growth has been detected, the culture should be transferred to fresh broth. Subsequent growth should be detected within 72 to 96 hours. Good growth has been obtained on nutrient agar and may be the best way to initially recover this culture. Once growth has been obtained on nutrient agar a loop-full of cells can be placed in a small test tube containing reduced medium (#2657); phototrophic growth can take up to 3 weeks to be detected.

We suggest adding the reducing agent to the medium at least one hour before the medium is to be inoculated.

## References

References and other information relating to this product are available online at [www.atcc.org](http://www.atcc.org).

## Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

## ATCC Warranty

ATCC® products are warranted for 30 days from the date of shipment, and this warranty is valid only if the product is stored and handled according to the information included on this product information sheet. If the ATCC® product is a living cell or microorganism, ATCC lists the media formulation that has been found to be effective for this product. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this product. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

## Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans. While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been




Product Sheet

***Rhodopseudomonas***  
***palustris*** (ATCC® BAA-  
1124™)

---

Please read this **FIRST**



---

**Intended Use**

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

---

**Citation of Strain**

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: *Rhodopseudomonas palustris* (ATCC® BAA-1124™)

confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at [www.atcc.org](http://www.atcc.org)

Additional information on this culture is available on the ATCC web site at [www.atcc.org](http://www.atcc.org).

© ATCC 2013. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [02/26]

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor