



Product Sheet

# Bovine adenovirus 4 (ATCC® VR-640™)

Please read this **FIRST**

Storage Temp.  
**-70°C or colder**

---

Biosafety Level  
**2**

### Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

### Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Bovine adenovirus 4 (ATCC® VR-640™)

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor

### Description

**Strain:** THT/62  
**Classification:** Adenoviridae, Atadenovirus,  
**Original Source:**  
Lungs of a calf with pneumoenteritis  
**Depositor:** SB Mohanty

### Batch-Specific Information

Refer to the Certificate of Analysis for batch-specific test results.

### Propagation

**Propagation Host:**  
BT (ATCC CRL-1390)  
**Production Host:** BT (ATCC® CRL-1390™)  
**Effect on Host:**  
CPE, generalized enlarged cell rounding and cell clumping or clustering; Type B intranuclear inclusion bodies  
CPE, generalized enlarged cell rounding and cell clumping or clustering; Type B intranuclear inclusion bodies

### Growth Conditions

**Temperature:** 37.0°C

**Recommendations for Infection:** Plate cells 24-48 hours prior to infection and infect when cultures are 80-90% confluent. Remove medium and inoculate with a small volume (e.g. 1 mL per 25 cm<sup>2</sup>) of virus diluted to provide an optimal MOI (e.g. 0.1). Adsorb 1-2 hours at 37°C without CO<sub>2</sub>, rocking every 20-30 minutes to redistribute inoculum. End adsorption by adding virus growth medium.

**Incubation:** Incubate infected culture for 6-7 days at 37°C without CO<sub>2</sub>, until 90% of the culture shows CPE.

### Comments

Does not share common CF antigen with human adenoviruses. No cross-reactivity with bovine adenovirus types 1-3. Deposited as Bovine adenovirus type 4. Originally received after 6 passages in primary calf testicular cells. GenBank: AF036092.3

### References

References and other information relating to this product are available online at [www.atcc.org](http://www.atcc.org).

### Key Abbreviations

°C, degrees Celsius  
BT, bovine turbinate cells  
CF, complement fixation  
CO<sub>2</sub> (CO2), carbon dioxide  
CPE, cytopathic effect  
FBS, fetal bovine serum  
MOI, multiplicity of infection

© ATCC 1971. All rights reserved.

ATCC® is a registered trademark of the American Type Culture Collection.  
12/2011, JQG/SR

### Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

### ATCC Warranty


The viability of ATCC® products is warranted for 30 days from the date of shipment, and is valid only if the



Product Sheet


# Bovine adenovirus 4 (ATCC® VR-640™)

**Please read this FIRST**



Storage Temp.  
**-70°C or colder**

---



Biosafety Level  
**2**

### Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

### Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Bovine adenovirus 4 (ATCC® VR-640™)

product is stored and cultured according to the information included on this product information sheet. ATCC lists the media formulation that has been found to be effective for this strain. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this strain. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

### Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans. While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at [www.atcc.org](http://www.atcc.org)

Additional information on this culture is available on the ATCC web site at [www.atcc.org](http://www.atcc.org).

© ATCC 2014. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [04/07]

American Type Culture Collection  
PO Box 1549  
Manassas, VA 20108 USA  
[www.atcc.org](http://www.atcc.org)

800.638.6597 or 703.365.2700  
Fax: 703.365.2750  
Email: [Tech@atcc.org](mailto:Tech@atcc.org)

Or contact your local distributor